





LEFT HAND, RIGHT HAND DOOR DEFINITIONS:



LH Inswing

(Inside)



RH Inswing


TO CHANGE THE HANDING OF A LEVER ASSEMBLY:

- 1) Loosen the Cam Pivot Pin just enough to enable the removal of the Short Bushing and the Finger (Cam) - be sure the Cam Pivot Pin remains partially encased in the Long Bushing.
- 2) Remove the Short Bushing and the Finger. Rotate the Finger 180°, then reinstall the Finger and Short Bushing.
- 3) Re-tighten the Cam Pivot Pin.

Note:


Push/Pull Latchsets are assembled for right or for left hand doors.
Be sure that handing is correct for a given door type.

SHORT BUSHING AND LONG BUSHING AND CAM PIVOT PIN (ENCASED IN BUSHING) - NOT VISIBLE IN THIS VIEW



FULLY ASSEMBLED


CAM PIVOT PIN (STILL PARTIALLY ENCASED IN THE LONG BUSHING)




PARTIALLY DISASSEMBLED (PER INSTRUCTIONS ABOVE)

1562QP PULL ASSEMBLY

LEFT HAND, RIGHT HAND DOOR DEFINITIONS:



(Outside)



LHR (Left Hand Reverse)


RHR (Right Hand Reverse)

TO CHANGE THE HANDING OF A LEVER ASSEMBLY:


- 1) Loosen the Cam Pivot Pin just enough to enable the removal of the Short Bushing and the Finger (Cam) - be sure the Cam Pivot Pin remains partially encased in the Long Bushing.
- 2) Remove the Short Bushing and the Finger. Rotate the Finger 180°, then reinstall the Finger and Short Bushing.
- 3) Re-tighten the Cam Pivot Pin.

Note:

Push/Pull Latchsets are assembled for right or for left hand doors. Be sure that handing is correct for a given door type.



FULLY ASSEMBLED




PARTIALLY DISASSEMBLED (PER INSTRUCTIONS ABOVE)

1562QP PULL ASSEMBLY


NOTE: This template is provided for use only on the job for which it was requested. Trimco reserves the right to make design changes without notice. Trimco will not be responsible for errors or damage caused by the use of out-of-date templates.

DATE
08/19/15


LH SHOWN
THE ENGRAVED TEXT SHOWN ON ALL LEVERS IS OPTIONAL
(AT ADDITIONAL COST)




1562Q W/ CYLINDER LAYOUT
BOTH LEVERS DOWN
55 FUNCTION



1562Q W/ THUMBTURN LAYOUT
BOTH LEVERS DOWN
30 FUNCTION



1562Q W/ PASSAGE LAYOUT
BOTH LEVERS DOWN
10 FUNCTION



1562Q W/ THUMBTURN AND CYLINDER LAYOUT
BOTH LEVERS DOWN
65 FUNCTION

NOTE: This template is provided for use only on the job for which it was requested.
Trimco reserves the right to make design changes without notice. Trimco will
not be responsible for errors or damage caused by the use of out-of-date templates.

DATE
08/19/15