



PRODUCT:

9 SERIES MORTISE LOCK LEVER SET ROSE TRIM DOOR PREP TEMPLATE

INSTRUCTIONS:

IF PRINTING TEMPLATE OFF THE INTERNET, MAKE SURE TO PRINT AT A 1:1 SCALE ON A LEGAL SIZE (11X17) PAPER. EACH PAGE IS FOR DIFFERENT LOCK MANUFACTURER TYPES OR HANDINGS IN THE 9 SERIES, ROSE TRIM FAMILY. MORTISE DOOR PREP SHOWN ONLY. MAKE SURE TO TAKE NOTE OF DIFFERENCES IN HANDING AND TABLE INFORMATION ON EACH PAGE. FOR STRIKE PREP SEE DRAWING# 21690. FOR FULL INSTRUCTIONAL GUIDE SEE INSTRUCTION TEMPLATE# 21687.

NOTES:

- ALL DIMENSIONS ARE IN INCHES.
- PREP IS FOR STANDARD DOOR THICKNESS
- DIMENSIONS DO NOT PROVIDE ALLOWANCES FOR ADDITIONS TO DOOR

TABLE OF CONTENTS:

(S) SCHLAGE L SERIES RH OR RHR.....SHEET 2

(S) SCHLAGE L SERIES LH OR LHR.....SHEET 3

(C) CORBIN RUSSWIN ML SERIES RH OR RHR.....SHEET 4

(C) CORBIN RUSSWIN ML SERIES LH OR LHR.....SHEET 5

(B) BEST 40H SERIES RH OR RHR.....SHEET 6

(B) BEST 40H SERIES LH OR LHR.....SHEET 7

(G) SARGENT 8200 SERIES RH OR RHR.....SHEET 8

(G) SARGENT 8200 SERIES LH OR LHR.....SHEET 9


(Q) PDQ MR SERIES RH OR RHR.....SHEET 10

(Q) PDQ MR SERIES LH OR LHR.....SHEET 11

SCHLAGE L SERIES DOOR PREP FOR RH OR RHR LOCK SETS

HOLE TABLE				
FUNCTION	A	B	C	D
01	NOT USED	NOT USED	NOT USED	NOT USED
02	NOT USED	NOT USED	NOT USED	NOT USED
10	NOT USED	NOT USED	NOT USED	NOT USED
22	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED
30	NOT USED	1/2	NOT USED	1/2
32	1-1/4	NOT USED	1-1/4	NOT USED
42	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED
51	1-1/4	NOT USED	NOT USED	NOT USED
55	1-1/4	NOT USED	NOT USED	INDICATOR ONLY, 1/2
57	1-1/4	NOT USED	NOT USED	INDICATOR ONLY, 1/2
60	NOT USED	1/2	NOT USED	1/2
62	1-1/4	NOT USED	1-1/4	NOT USED
63	1-1/4	INDICATOR ONLY, 1/2	NOT USED	1/2
65	1-1/4	NOT USED	1/2	NOT USED
69	1-1/4	INDICATOR ONLY, 1/2	NOT USED	1/2
72	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED


*FOR 01 SINGLE DUMMY FUNCTION, DO NOT PREP DOOR WITH LOCK BODY CUTOUTS AND ONLY DO HOLE PREPS FOR THE LEVER ON THE SIDE OF THE DOOR THE LEVER IS GOING ON TO A DEPTH OF 1" AND THE MOUNTING HOLE PREP ALL THE WAY THROUGH.



CORBIN RUSSWIN ML SERIES DOOR PREP FOR LH OR LHR LOCK SETS

HOLE TABLE				
FUNCTION	A	B	C	D
01	NOT USED	NOT USED	NOT USED	NOT USED
02	NOT USED	NOT USED	NOT USED	NOT USED
10	NOT USED	NOT USED	NOT USED	NOT USED
22	1-5/16	NOT USED	1-5/16	INDICATOR ONLY, 5/8
30	NOT USED	5/8	NOT USED	5/8
32	1-5/16	NOT USED	1-5/16	NOT USED
42	1-5/16	NOT USED	1-5/16	INDICATOR ONLY, 5/8
51	NOT USED	NOT USED	1-5/16	NOT USED
55	NOT USED	INDICATOR ONLY, 5/8	1-5/16	NOT USED
57	NOT USED	INDICATOR ONLY, 5/8	1-5/16	NOT USED
60	NOT USED	5/8	NOT USED	5/8
62	1-5/16	NOT USED	1-5/16	NOT USED
63	NOT USED	5/8	1-5/16	INDICATOR ONLY, 5/8
65	NOT USED	5/8	1-5/16	NOT USED
69	NOT USED	5/8	1-5/16	INDICATOR ONLY, 5/8
72	1-5/16	NOT USED	1-5/16	INDICATOR ONLY, 5/8

*FOR 01 SINGLE DUMMY FUNCTION, DO NOT PREP DOOR WITH LOCK BODY CUTOUTS AND ONLY DO HOLE PREPS FOR THE LEVER ON THE SIDE OF THE DOOR THE LEVER IS GOING ON TO A DEPTH OF 1" AND THE MOUNTING HOLE PREP ALL THE WAY THROUGH.



TEMPLATE# 21686

SHEET

5 OF 11

REVISION# 05

APPROVED ON: 8/31/2021


This template is provided for use only on the job for which it was requested. Trimco reserves the right to make design changes without notice. Trimco will not be responsible for errors or damage caused by the use of out-of-date templates.

TRIANGLE BRASS MANUFACTURING
1351 ROCKY POINT DRIVE
OCEANSIDE, CA 92056
WWW.TRIMCOHARDWARE.COM

BEST 40H SERIES DOOR PREP FOR RH OR RHR LOCK SETS

HOLE TABLE				
FUNCTION	A	B	C	D
01	NOT USED	NOT USED	NOT USED	NOT USED
02	NOT USED	NOT USED	NOT USED	NOT USED
10	NOT USED	NOT USED	NOT USED	NOT USED
22	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED
30	NOT USED	1/2	NOT USED	1/2
32	1-1/4	NOT USED	1-1/4	NOT USED
42	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED
51	1-1/4	NOT USED	NOT USED	NOT USED
55	1-1/4	NOT USED	NOT USED	INDICATOR ONLY, 1/2
57	1-1/4	NOT USED	NOT USED	INDICATOR ONLY, 1/2
60	NOT USED	1/2	NOT USED	1/2
62	1-1/4	NOT USED	1-1/4	NOT USED
63	1-1/4	INDICATOR ONLY, 1/2	NOT USED	1/2
65	1-1/4	NOT USED	1/2	NOT USED
69	1-1/4	INDICATOR ONLY, 1/2	NOT USED	1/2
72	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED


*FOR 01 SINGLE DUMMY FUNCTION, DO NOT PREP DOOR WITH LOCK BODY CUTOUTS AND ONLY DO HOLE PREPS FOR THE LEVER ON THE SIDE OF THE DOOR THE LEVER IS GOING ON TO A DEPTH OF 1" AND THE MOUNTING HOLE PREP ALL THE WAY THROUGH.



BEST 40H SERIES DOOR PREP FOR LH OR LHR LOCK SETS

HOLE TABLE				
FUNCTION	A	B	C	D
01	NOT USED	NOT USED	NOT USED	NOT USED
02	NOT USED	NOT USED	NOT USED	NOT USED
10	NOT USED	NOT USED	NOT USED	NOT USED
22	1-1/4	NOT USED	1-1/4	INDICATOR ONLY, 1/2
30	NOT USED	1/2	NOT USED	1/2
32	1-1/4	NOT USED	1-1/4	NOT USED
42	1-1/4	NOT USED	1-1/4	INDICATOR ONLY, 1/2
51	NOT USED	NOT USED	1-1/4	NOT USED
55	NOT USED	INDICATOR ONLY, 1/2	1-1/4	NOT USED
57	NOT USED	INDICATOR ONLY, 1/2	1-1/4	NOT USED
60	NOT USED	1/2	NOT USED	1/2
62	1-1/4	NOT USED	1-1/4	NOT USED
63	NOT USED	1/2	1-1/4	INDICATOR ONLY, 1/2
65	NOT USED	1/2	1-1/4	NOT USED
69	NOT USED	1/2	1-1/4	INDICATOR ONLY, 1/2
72	1-1/4	NOT USED	1-1/4	INDICATOR ONLY, 1/2


*FOR 01 SINGLE DUMMY FUNCTION, DO NOT PREP DOOR WITH LOCK BODY CUTOUTS AND ONLY DO HOLE PREPS FOR THE LEVER ON THE SIDE OF THE DOOR THE LEVER IS GOING ON TO A DEPTH OF 1" AND THE MOUNTING HOLE PREP ALL THE WAY THROUGH.



SARGENT 8200 SERIES DOOR PREP FOR RH OR RHR LOCK SETS

HOLE TABLE				
FUNCTION	A	B	C	D
01	NOT USED	NOT USED	NOT USED	NOT USED
02	NOT USED	NOT USED	NOT USED	NOT USED
10	NOT USED	NOT USED	NOT USED	NOT USED
22	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED
30	NOT USED	1/2	NOT USED	1/2
32	1-1/4	NOT USED	1-1/4	NOT USED
42	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED
51	1-1/4	NOT USED	NOT USED	NOT USED
55	1-1/4	NOT USED	NOT USED	INDICATOR ONLY, 1/2
57	1-1/4	NOT USED	NOT USED	INDICATOR ONLY, 1/2
60	NOT USED	1/2	NOT USED	1/2
62	1-1/4	NOT USED	1-1/4	NOT USED
63	1-1/4	INDICATOR ONLY, 1/2	NOT USED	1/2
65	1-1/4	NOT USED	1/2	NOT USED
69	1-1/4	INDICATOR ONLY, 1/2	NOT USED	1/2
72	1-1/4	INDICATOR ONLY, 1/2	1-1/4	NOT USED


*FOR 01 SINGLE DUMMY FUNCTION, DO NOT PREP DOOR WITH LOCK BODY CUTOUTS AND ONLY DO HOLE PREPS FOR THE LEVER ON THE SIDE OF THE DOOR THE LEVER IS GOING ON TO A DEPTH OF 1" AND THE MOUNTING HOLE PREP ALL THE WAY THROUGH.



SARGENT 8200 SERIES DOOR PREP FOR LH OR LHR LOCK SETS

HOLE TABLE				
FUNCTION	A	B	C	D
01	NOT USED	NOT USED	NOT USED	NOT USED
02	NOT USED	NOT USED	NOT USED	NOT USED
10	NOT USED	NOT USED	NOT USED	NOT USED
22	1-1/4	NOT USED	1-1/4	INDICATOR ONLY, 1/2
30	NOT USED	1/2	NOT USED	1/2
32	1-1/4	NOT USED	1-1/4	NOT USED
42	1-1/4	NOT USED	1-1/4	INDICATOR ONLY, 1/2
51	NOT USED	NOT USED	1-1/4	NOT USED
55	NOT USED	INDICATOR ONLY, 1/2	1-1/4	NOT USED
57	NOT USED	INDICATOR ONLY, 1/2	1-1/4	NOT USED
60	NOT USED	1/2	NOT USED	1/2
62	1-1/4	NOT USED	1-1/4	NOT USED
63	NOT USED	1/2	1-1/4	INDICATOR ONLY, 1/2
65	NOT USED	1/2	1-1/4	NOT USED
69	NOT USED	1/2	1-1/4	INDICATOR ONLY, 1/2
72	1-1/4	NOT USED	1-1/4	INDICATOR ONLY, 1/2


*FOR 01 SINGLE DUMMY FUNCTION, DO NOT PREP DOOR WITH LOCK BODY CUTOUTS AND ONLY DO HOLE PREPS FOR THE LEVER ON THE SIDE OF THE DOOR THE LEVER IS GOING ON TO A DEPTH OF 1" AND THE MOUNTING HOLE PREP ALL THE WAY THROUGH.



PDQ MR SERIES DOOR PREP FOR RH OR RHR LOCK SETS

HOLE TABLE				
FUNCTION	A	B	C	D
01	NOT USED	NOT USED	NOT USED	NOT USED
02	NOT USED	NOT USED	NOT USED	NOT USED
10	NOT USED	NOT USED	NOT USED	NOT USED
22	1-3/8	INDICATOR ONLY, 5/8	1-3/8	NOT USED
30	NOT USED	5/8	NOT USED	5/8
32	1-3/8	NOT USED	1-3/8	NOT USED
42	1-3/8	INDICATOR ONLY, 5/8	1-3/8	NOT USED
51	1-3/8	NOT USED	NOT USED	NOT USED
55	1-3/8	NOT USED	NOT USED	INDICATOR ONLY, 5/8
57	1-3/8	NOT USED	NOT USED	INDICATOR ONLY, 5/8
60	NOT USED	5/8	NOT USED	5/8
62	1-3/8	NOT USED	1-3/8	NOT USED
63	1-3/8	NOT USED	INDICATOR ONLY, 5/8	5/8
65	1-3/8	NOT USED	NOT USED	5/8
69	1-3/8	NOT USED	INDICATOR ONLY, 5/8	5/8
72	1-3/8	INDICATOR ONLY, 5/8	1-3/8	NOT USED

*FOR 01 SINGLE DUMMY FUNCTION, DO NOT PREP DOOR WITH LOCK BODY CUTOUTS AND ONLY DO HOLE PREPS FOR THE LEVER ON THE SIDE OF THE DOOR THE LEVER IS GOING ON TO A DEPTH OF 1" AND THE MOUNTING HOLE PREP ALL THE WAY THROUGH.



PDQ MR SERIES DOOR PREP FOR LH OR LHR LOCK SETS

HOLE TABLE				
FUNCTION	A	B	C	D
01	NOT USED	NOT USED	NOT USED	NOT USED
02	NOT USED	NOT USED	NOT USED	NOT USED
10	NOT USED	NOT USED	NOT USED	NOT USED
22	1-3/8	NOT USED	1-3/8	INDICATOR ONLY, 5/8
30	NOT USED	5/8	NOT USED	5/8
32	1-3/8	NOT USED	1-3/8	NOT USED
42	1-3/8	NOT USED	1-3/8	INDICATOR ONLY, 5/8
51	NOT USED	NOT USED	1-3/8	NOT USED
55	NOT USED	INDICATOR ONLY, 5/8	1-3/8	NOT USED
57	NOT USED	INDICATOR ONLY, 5/8	1-3/8	NOT USED
60	NOT USED	5/8	NOT USED	5/8
62	1-3/8	NOT USED	1-3/8	NOT USED
63	NOT USED	5/8	1-3/8	INDICATOR ONLY, 5/8
65	NOT USED	5/8	1-3/8	NOT USED
69	NOT USED	5/8	1-3/8	INDICATOR ONLY, 5/8
72	1-3/8	NOT USED	1-3/8	INDICATOR ONLY, 5/8

*FOR 01 SINGLE DUMMY FUNCTION, DO NOT PREP DOOR WITH LOCK BODY CUTOUTS AND ONLY DO HOLE PREPS FOR THE LEVER ON THE SIDE OF THE DOOR THE LEVER IS GOING ON TO A DEPTH OF 1" AND THE MOUNTING HOLE PREP ALL THE WAY THROUGH.

