

ARCHITECTURAL & DESIGNER PRODUCTS

CONTENTS

THIS CATALOG INCLUDES QR CODES FOR EASY REFERENCE ON MOBILE DEVICES.

03 ABOUT TRIMCO

- 04 IDENTITY HARDWARE
- 05 HEALTHY HARDWARE
- 06 LOCKDOWN HARDWARE
- 07 HANDS-FREE SOLUTIONS
- 08 CUSTOM HARDWARE
- 09 ANTI-VANDAL PULLS
- 10 ARCHITECTURAL PULLS
- 27 PULLS + GRIPS
- 34 PUSH BARS + PUSH/PULL SETS
- 42 FLUSH PULLS
- 44 SLIDING DOOR SOLUTIONS
- 50 MOUNTING METHODS

51 FINISHES

HOW TO SCAN QR CODES:

- **1.** Open your smartphone camera.
- **2.** Point your camera at the QR Code until the viewfinder recognizes the code and a link appears on your screen.
- **3.** Click the link that appears on your screen and you will be directed to the webpage.



Try scanning the QR Code shown here for an electronic version of this catalog!

TRIMCOHARDWARE.COM

ABOUT TRIMCO

We make a difference by innovating, designing, and manufacturing products that make our world healthier, safer, more accessible, and more fashionable.

From its humble beginnings in Los Angeles in 1949, Trimco continues to operate as a family-owned and operated, independent business. Trimco has a team of dedicated professionals focused on providing a remarkable customer experience.

Trimco continues to be a trusted leader in developing products for the most demanding environments. Our expansive portfolio has many unique, patented solutions designed to address real life problems. Most of our products are manufactured in North America to the highest quality standards while maintaining competitive prices. With multiple, convenient distribution points across the U.S., you can get your Trimco products quickly.

Our foundry in Tijuana, Mexico gives us the flexibility to pour stock and custom products with short lead times, as well as local quality control. With our master craftsmen and domestic manufacturing, Trimco is uniquely positioned to expertly manage and deliver custom product solutions in an easy, painless process.

Our internationally recognized line of products are trusted by a significant number of specification writers and experienced independent sales agencies that represent us globally.





BRINGING YOUR BRAND IDENTITY TO YOUR CUSTOMERS' FINGERTIPS



Creighton University 'Billy Bluejay'

Dimensionalized Protection Plate

FedEx

Customized Ladder Pulls

WHAT IS IDENTITY HARDWARE?

Trimco Identity Hardware transforms your doorways into a powerful reflection of your brand's identity. Customers, employees, fans, and vendors will be greeted by your brand with quality that they can feel as they enter the building.

HOW IT WORKS

- 1. Contact us at: IdentityHardware@TrimcoHardware.com to receive a product Concept Request Form.
- 2. Trimco industrial designers create design concepts for you.
- 3. Select your favorite concept(s).
- 4. Trimco will provide you with a quote via an authorized Identity Hardware partner.



COPPER-ALLOY PRODUCTS





1035 Ultimate Restroom Pull

APC10 Ladder Cabinet Pull

AP331 Hands-Free Adjustable Pull PBT8000 Exit Device Push Bar Cover









LDH100 SERIES PROVIDING SAFETY SOLUTIONS TO MAKE OUR COMMUNITIES SAFER

The LDH100 Series is a patented, cost-effective solution for one-touch mechanical lockdown of exit devices. In the event of an emergency, the LDH100 does not require a key or hex-wrench to lockdown the doors from the inside; simply push the button on the end cap and the exit device locks. The mechanism has durable die-cast construction and is easily installed without special tools or removal of the exit device from the door.

FEATURES AND BENEFITS

- Simple, one-touch mechanical lockdown for exit devices
- Cost-effective, aftermarket or new construction solution
- · Does not require a key or hex-wrench to lock down doors
- Durable die-cast construction
- ADA compliant
- · Easy installation requires no special tools or removal of the panic device from the door
- Works with hex or cylinder dogging devices

APPI ICATIONS

K-12 Schools

- Government Facilities
- Colleges & Universities
- Healthcare
- · Public Buildings
- Hospitality

LDH100-VD.626

DESCRIPTION	AVAILABLE FOR	FINIS	FINISHES		
LDH100 -	VD – VON DUPRIN 98/99 & 33/35	605	POLISHED BRASS		
LOCKDOWN PANIC BUTTON	DM – DORMA 9000 SERIES	606	SATIN BRASS		
	PHI – PRECISION APEX 2000 SERIES	625	POLISHED CHROME		
	ALSO ASK ABOUT:	626	SATIN CHROME		
	MK – MARKS M9900 SERIES PHI – DS PREPPED FOR DOOR MONITORING SWITCH	690	DURANODIC BRONZE		

Part of Trimco's Mission is to innovate, design, and manufacture products that help keep our world safer and healthier. Trimco Hands-Free Solutions are designed to help minimize the need to grip door pulls with your hands.

HANDS-FREE SOLUTIONS













New Hands-Free Signage



Ultimate Foot Pulls



Take your brilliant design ideas to the next level, with Trimco Custom Hardware. Trimco designs and manufactures our custom products with the finest high performance architectural hardware materials, in order $\overline{\tilde{E}}$ to help make a lasting impression of your organization.

CUSTOM HARDWARE









HOW IT WORKS

- 1. Contact us at: Custom@TrimcoHardware.com to receive a product Concept Request Form.
- 2. Trimco industrial designers create design concepts for you.
- 3. Select your favorite concept(s).
- 4. Trimco will provide you with a quote via an authorized partner.

COM

ARE.

2

1090 SERIES ANTI-VANDAL PULLS



BENEFITS OF BLACK PVC COOL TOUCH FINISH

- Cool to the Touch Technology provides a soft, cool entry touch by reducing thermal energy transfer from hardware to hand when in direct sunlight.
- Fade Resistant to ensure a fresh look.
- Dry Rot Reistant to ensure a long-lasting hardware grip.

1090 Series Anti-Vandal Pulls are engineered for the most demanding applications. Made from 1/8" type 316 stainless steel, bronze, or brass these pulls do not have exposed handles or fasteners that can be tampered, greatly reducing the potential for trim damage and are available to mate different lock sets and exit devices for both in swing and out swing doors.

FEATURES AND BENEFITS

- Can be mated to exit devices, mortise locks, or cylindrical locks.
- Available with Astragal (1096) or without (1097).
- Offered with or without cylinder prep.
- Vandal Resistant Design reduces the potential for illegal chaining of doors.
- Compliant with Americans with Disabilities Act (ADA).
- Meets California State Prision strength tests.
- Lifetime mechanical & limited finish warranty (see Trimco warranty statement for details)

ANTI-VANDAL PULLS MATING WITH:

BEST CORBIN RUSSWIN MARKS PRECISION SARGENT VON DUPRIN

BEAUTY WITH LONG-LASTING DURABILITY




AP SERIES ARCHITECTURAL PULLS

Trimco Architectural Pulls add style and sophistication to any opening. A multitude of options enable customization and flexibility to enhance surrounding building aesthetics. Options include square, radius, or angled ends, offset or straight posts, engraving, and center-to-center dimensions from 12" to beyond 10'. The AP Series are manufactured from stainless steel, bronze, brass, or aluminum, and offered in most architectural finishes.



AP100 SERIES ARCHITECTURAL STRAIGHT PULLS



Trimco AP100 Series Straight Pulls offer a wide variety of products to fit most applications. Material options include 3/4", 1", and 1-1/4" diameter, and are offered from 8" to 48", center-to-center. The AP100 Pull Series is ADA compliant.

FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 48"
- Material options include 3/4", 1", and 1-1/4" diameter
- ADA compliant

NOTES

- Leather wrapped options available
- Leather wrap coverage stops 0.5" +/- 0.25" from the pull bend radius
- Additional finish options—contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors, if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP121G-48-2B-B.629

AP121	G	* (OPTIONAL)	-48 -2	B (OPTIONAL)	-B	.629
BASE PART NUMBER	MOUNTING TYPE	CONCEALED MOUNTING	SIZE (CTC) DOOR THI	CKNESS HOLE DIA. FOR GLASS	OPTIONS	FINISHES
3/4" DIAMETER AP111 STRAIGHT BENT PULL AP112 STRAIGHT MITERED PULL 1" DIAMETER AP121 STRAIGHT BENT PULL AP122 STRAIGHT MITERED PULL 1-1/4" DIAMETER AP131 STRAIGHT BENT PULL AP132 STRAIGHT MITERED PULL 1-1/2" DIAMETER AP142 STRAIGHT MITERED PULL	 E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	12 12" 0 CUSTC 18 18" 1** 3/8" 24 24" 2** 1/2" 36 36" 3 1-3/8" 48 48" 4 1-3/4" 5 2" 6 2-1/4" OR SPECIFY 7 2-1/2" CTC 8 3"	M A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	LEATHER B BLACK D DARK BROWN T LIGHT BROWN ENGRAVING - SINGLE PULL U PUSH V PULL W OTHER - CUSTOMIZE ENGRAVING - BTB PULLS X PUSH/INTERIOR & PULL/EXTERIOR Y PULL/INTERIOR & PUSH/EXTERIOR Z OTHER - CUSTOMIZE	313 SATIN ANODIZED DARK BRON 316S MARINE DUTY SATIN STAINLESS STEEL 316P 316P MARINE DUTY POLISHED STAINLESS STEEL 335 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 607 ANTIQUE BRASS 618 OIL RUBBED BRONZE 6130 OIL RUBBED BRONZE (EQUIVALENT) 622 622 SATIN ANODIZED ALUMINUM 623 SATIN ANODIZED ALUMINUM 624 SATIN ANODIZED ALUMINUM 625 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

Trimco AP200 Series Architectural Offset Bent Pulls are a great complement to any building design. Trimco Offset Pulls are ADA compliant.

AP200 SERIES ARCHITECTURAL OFFSET PULLS

RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 48"
- Material options include 3/4", 1", and 1-1/4" diameter
- ADA compliant

NOTES

- Leather wrapped options available
- Leather wrap coverage stops 0.5" +/- 0.25" from the pull bend radius
- Additional finish options—contact customer service
- Specify for custom CTC length

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors, if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP231JR-18-3-B.613

AP231 base part number		(OPTIONAL)	-18 size (ctc)	-3 DOOR THICKNESS	* (OPTIONAL) HOLE DIA. FOR GLASS	-B options	.613 Finishes
3/4" DIAMETER AP211 ROUND, OFFSET BENT PULL AP221 1" DIAMETER AP221 ROUND, OFFSET BENT PULL AP231 1-1/4" DIAMETER ROUND, OFFSET BENT PULL	 E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHEI N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	12 12" 18 18" 24 24" 36 36" 48 48" OR SPECIFY CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	LEATHER B LEATHER - BLACK D LEATHER - DARK BROWN T LEATHER - LIGHT BROWN ENGRAVING - SINGLE PULL U PUSH V PULL W OTHER - CUSTOMIZE ENGRAVING - BTB PULLS X PUSH/INTERIOR & PULL/EXTERIOR Y PULL/INTERIOR & PUSH/EXTERIOR Z OTHER - CUSTOMIZE HANDING "REQUIRED FOR ENGRAVING ONLY LH LEFT HAND RH RIGHT HAND	 313 SATIN ANODIZED DARK BRONZE 3165 MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 606 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE 622 MATTE BLACK 623 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN



AP316J-50L-4-PJB.630



Trimco AP300 Series Pulls are uniquely designed to keep the world healthy, while being durable, flexible, and highly customizable. The AP320 Series is an alternative, more cost-effective aluminum option.

FEATURES AND BENEFITS

- Made with Copper Alloy.
- Healthy Hardware (710) has appearance similar to stainless steel
- · Adjustable and configurable standoffs are versatile for use across many different center-to-center configurations
- AP310 Series has configurable and customizable end caps available in multiple sizes and finishes
- 1-1/2" clearance conforms to ADA requirements for accessibility
- AP320 Series is a cost-effective all aluminum version of the AP300 pull
- AP320 Series does not have end cap finish options
- AP320 Series has square and radius end options

NOTES

- Mid post is recommended for OA's at or greater than 72"
- Standard CTC is OA less 6"
- Can be ordered with standoffs installed (S) or loose (L)

*For J mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP316 .		* (OPTIONAL)	-50 L SIZE (OA) SIZE (CTC)	-4 door thickness	* (OPTIONAL)	-P * (optional) mid-post		.630 Finishes
AP311 STRAIGHT STANDOFFS,	 E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	OVERALL CTC 18 18" S STANDARD 30 30" L LOOSE 42 42" OR SPECIFY OA/CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	P MID-POST RECOMMENDED FOR PULLS > 72" OA	FINISH INSERT B 605 B BLACK C 606 N NONE D 609 - - E 611 - - F 612 - - G 613 - - H 628 - - J 630 - - K 335 - - L 622 - - * ENCAP OPTIONS ARE NOT AVAILABLE IN AP320 SERIES ALL- ALUMINUM PULLS - -	AP310 FINISH OPTIONS630SATIN STAINLESS STEEL710HEALTHY HARDWARE SATINAP320 ALUMINUM FINISH OPTIONS313DARK BRONZE ANODIZE335BLACK ANODIZE628CLEAR ANODIZE

TRIMCOHARDWARE.COM

Trimco AP330 Series Hands-Free Adjustable Pulls are uniquely designed to keep the world healthy, while being durable, flexible, and highly customizable.

FEATURES AND BENEFITS

- Made with Copper Alloy.
- Bend in pull can be pivoted during installation to achieve different clearance for hands-free HANDS-FREE PULLS operation
- · Adjustable standoffs are versatile for worry-free retrofit of existing door pulls and enables access to locking cylinders
- · Radius or Square end options
- Healthy Hardware® (710) has appearance similar to stainless steel and is easily cleaned
- Aluminum finish options are also available
- 1-1/2" clearance conforms to ADA requirements for accessibility

NOTES

- 710 Healthy Hardware Finish includes stainless steel standoffs
- Standard size adjustable up to 12" CTC
- Maximum overall length is 48"
- Standoffs shipped loose
- * For J mounting option, specify Riv-Nut for metal doors or Bushings for wood doors to be included.
- ** For Glass Door Mounting options (3/8" & 1/2" door thicknesses), specify parameter of hole in glass.

HOW TO ORDER EXAMPLE:

AP331G-19-2B.710


AP331 G base part number mou		(OPTIONAL)	-19 size (oa)		HOLE DIA. FOR GLASS	.710 Finishes
AP331 STRAIGHT STANDOFFS AP333 OFFSET STANDOFFS J*	THRU-BOLT & FINISH WASHER BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS CONCEALED THREADED SHOULDER BOLT & SET SCREWS	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	OVERALL 19 19" OR SPECIFY OA	O CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE - SATIN 313 DARK BRONZE ANODIZE 335 BLACK ANODIZE 628 CLEAR ANODIZE

AP330 SERIES ADJUSTABLE & CONFIGURABLE

AP333 Pull




RIMCOHARDWARE.CON





AP400 SERIES ARCHITECTURAL LADDER PULLS

Trimco AP400 Series Ladder Pulls (formerly 1160 straight standoffs and 1170 offset standoffs series) add style and sophistication to any opening. A multitude of options for the AP400 Series enables customization and flexibility to enhance surrounding building aesthetics.



Angled End Square End Radius End Groove End END OPTIONS

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, and aluminum for long lasting durability
- · Flexibility in design from straight or offset pulls to angled, square, radius, or groove ends
- Wide range of lengths available from 12" to over 10'
- · Available in most architectural finishes
- Multiple mounting options for metal, wood, and glass doors
- ADA compliant

NOTES

- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than or equal to 24" OA less 6"
- Midpost is recommended for CTC's of 84" or greater
- · Handing required for angled end option with offset standoffs
- Specifying custom pull sizes (CTC) -Example 1 • 35" OA, 29" CTC, specify as 3529 -Example 2 • 11" OA, 7" CTC, specify as 1107
- · Engraving options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit 710 finish is only available for the AP420 model (1-1/4" diameter)

AP400 Series Offset Ladder Pull

ARCHITECTU

AP436E-8478-8-P-RH.629

	436 Part number		* (OPTIONAL)	-84 size (0a)	78 size (ctc)		* (OPTIONAL)	-P _{* (optional)} mid-post	.629 Finishes
AP411 AP412 AP413 AP414 AP415	1" DIAMETER STRAIGHT STANDOFFS, SQUARE ENDS STRAIGHT STANDOFFS, RADIUS ENDS OFFSET STANDOFFS, RADIUS ENDS STRAIGHT STANDOFFS, ANGLED ENDS	E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED-	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS)	OVERALL 12 12" 18 18" 24 24" 36 36" 48 48"	CTC 08 08" 14 14" 18 18" 30 30" 42 42"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8"	P MID-POST RECOMMENDED FOR PULLS > 72" OA	 313 SATIN ANODIZED DARK BRONZE 3165 MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL
AP421 AP422 AP423 AP424 AP425 AP426 AP427 AP428 AP431 AP432 AP433 AP434	OFFSET STANDOFFS, ANGLED ENDS STRAIGHT STANDOFFS, GROOVE ENDS OFFSET STANDOFFS, GROOVE ENDS 1-1/4" DIAMETER STRAIGHT STANDOFFS, SQUARE ENDS OFFSET STANDOFFS, RADIUS ENDS OFFSET STANDOFFS, RADIUS ENDS STRAIGHT STANDOFFS, ANGLED ENDS OFFSET STANDOFFS, ANGLED ENDS STRAIGHT STANDOFFS, GROOVE ENDS OFFSET STANDOFFS, GROOVE ENDS OFFSET STANDOFFS, GROOVE ENDS 1-1/2" DIAMETER STRAIGHT STANDOFFS, SQUARE ENDS STRAIGHT STANDOFFS, RADIUS ENDS OFFSET STANDOFFS, RADIUS ENDS	SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON	* FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	60 60" 72 72" 84 84" 96 96" OR SPECI	54 54" 66 66" 78 78" 90 90"	6 2-1/4" 7 2-1/2" 8 3"	F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	-RH HANDING (ONLY REQUIRED FOR OFFSET W/ ANGLED ENDS AND ENGRAVED OPTIONS) LH LEFT HAND RH RIGHT HAND	 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUN 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN
AP434 AP435 AP436 AP437									



AP500 SERIES ANODIZED GRIP LADDER PULLS

Trimco AP500 Series Anodized Grip Ladder Pulls add style and sophistication to any opening. A multitude of options for the AP500 Series enables customization and flexibility to enhance surrounding building aesthetics.

FEATURES AND BENEFITS

- Ends and posts are manufactured from stainless steel, aluminum, bronze, or brass for long lasting durability
- Flexibility in design from straight or offset pulls to square, radius, or angled ends
- Wide range of lengths available from 12" to over 60"
- Durable and aesthetically appealing black anodized finish grip
- Multiple mounting options for metal, wood, and glass doors

NOTES

- Black anodized finish is standard on grip; specified finish options refer to ends and standoffs
- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- Handing required for angled end option with offset standoffs
- Inquire with Customer Service about groove end options
- Specifying Custom Pull Sizes (CTC) –
 -Example 1 35" OA, 29" CTC, specify as 3529
 -Example 2 11" OA, 7" CTC, specify as 1107

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **For additional detail on Mounting options and kits, please see "Standard Mounting Options" **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

BASE PART NUMBER	MOUNTING TYPE	CONCEALED MOUNTING	 9() SIZE (CTC)	DOOR THICKNESS	HOLE DIA. FOR GLASS	.630 Finishes
1" DIAMETER AP511 STRAIGHT STANDOFFS, SQUARE ENDS AP512 STRAIGHT STANDOFFS, RADIUS ENDS AP513 OFFSET STANDOFFS, RADIUS ENDS AP514 OFFSET STANDOFFS, RADIUS ENDS AP515 STRAIGHT STANDOFFS, ANGLED ENDS AP516 OFFSET STANDOFFS, ANGLED ENDS AP517 STRAIGHT STANDOFFS, ANGLED ENDS AP518 OFFSET STANDOFFS, SQUARE ENDS AP529 STRAIGHT STANDOFFS, SQUARE ENDS AP520 OFFSET STANDOFFS, RADIUS ENDS AP523 OFFSET STANDOFFS, RADIUS ENDS AP524 OFFSET STANDOFFS, RADIUS ENDS AP525 STRAIGHT STANDOFFS, ANGLED ENDS AP526 OFFSET STANDOFFS, ANGLED ENDS AP527 OFFSET STANDOFFS, ANGLED ENDS AP528 STRAIGHT STANDOFFS, SQUARE ENDS AP531 STRAIGHT STANDOFFS, RADIUS ENDS AP532 STRAIGHT STANDOFFS, RADIUS ENDS AP533 OFFSET STANDOFFS, RADIUS ENDS AP534 OFFSET STANDOFFS, RADIUS ENDS AP535 STRAIGHT STANDOFFS, RADIUS ENDS AP534 OFFSET STANDOFFS, RADIUS ENDS AP535 STRAIGHT STANDOFFS, RADIUS ENDS	 E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	CTC 08 08" 10 10" 12 12" 14 14" 18 18" 30 30" 42 42" 54 54" OA/CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS H HANDING (OFFSET W/ ANGLED ENDS ONLY) LH LEFT HAND RH RIGHT HAND	 316S MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE 613E OIL RUBBED BRONZE 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL *FINISHES SPECIFY THE END POSTS AND STANDOFFS

AP511 Pull AP526 Pull

AP516L-6090-4-LH.630

The hand-crafted AP600 Series Leather Wrapped Ladder Pulls add style and sophistication to any interior doorway opening. A multitude of options for the AP600 Series enables customization and flexibility to enhance surrounding building aesthetics.

FEATURES AND BENEFITS

- Hand-crafted, durable leather wrap suitable for interior applications
- Manufactured from stainless steel, bronze, brass or aluminum for long lasting durability
- Flexibility in design from straight or offset pulls to square, radius or angled ends
- Multiple mounting options for metal, wood, and glass doors

NOTES

- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- Inquire with Customer Service for groove end options
- Specifying Custom Pull Sizes (CTC)
 - -Example 1 35" OA, 29" CTC, specify as 3529
- -Example 2 11" OA, 7" CTC, specify as 1107
- The maximum length for leather option is 96" OA
- Handing required for angled end option with offset standoffs
- Leather wrap coverage ends 0.5" +/- 0.25" from the edge of both standoffs


*For J & M mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP622MB-9690-4-B-P.630

AP600 SERIES LEATHER WRAPPED LADDER PULLS



RIMCOHARDWARE.COM



AP621 Pull

AP622 base part number		(OPTIONAL)	-96 size (oa)	90 SIZE (CTC)	-4 DOOR THICKNESS	-B	.630 Finishes
1" DIAMETER AP611 STRAIGHT STANDOFFS, SQUARE ENDS AP612 STRAIGHT STANDOFFS, RADIUS ENDS AP613 OFFSET STANDOFFS, RADIUS ENDS AP614 OFFSET STANDOFFS, RADIUS ENDS AP615 STRAIGHT STANDOFFS, RADIUS ENDS AP616 OFFSET STANDOFFS, ANGLED ENDS AP617 DIAMETER AP628 STRAIGHT STANDOFFS, RADIUS ENDS AP621 STRAIGHT STANDOFFS, RADIUS ENDS AP622 STRAIGHT STANDOFFS, RADIUS ENDS AP623 OFFSET STANDOFFS, RADIUS ENDS AP624 OFFSET STANDOFFS, RADIUS ENDS AP625 STRAIGHT STANDOFFS, ANGLED ENDS AP626 OFFSET STANDOFFS, ANGLED ENDS AP626 OFFSET STANDOFFS, ANGLED ENDS AP627 DIAMETER AP628 STRAIGHT STANDOFFS, RADIUS ENDS AP629 STRAIGHT STANDOFFS, RADIUS ENDS AP631 STRAIGHT STANDOFFS, RADIUS ENDS AP632 OFFSET STANDOFFS, RADIUS ENDS AP633 OFFSET STANDOFFS, RADIUS ENDS AP634 OFFSET STANDOFFS, ANGLED ENDS AP635 STRAIGHT STANDOFFS, ANGLED ENDS AP636 OFFSET STANDO	 E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	OVERALL 12 12" 14 14" 16 16" 18 18" 24 24" 36 36" 48 48" 60 60" 72 72" 84 84" 96 96" OR SPECIF	CTC 08 08" 10 10" 12 12" 14 14" 18 18" 30 30" 42 42" 54 54" 66 66" 78 78" 90 90" Y OA/CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3" (OPTIONAL) HOLE DIA. FOR GLASS A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	B BLACK D DARK BROWN T LIGHT BROWN -P OPTIONAL MID-POST RECOMMENDED FOR PULLS > 72" OA - HANDING (OFFSET W/ ANGLED ENDS ONLY) LH LEFT HAND RH RIGHT HAND	 313 SATIN ANODIZED DARK BRONZE 316S MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 609 ANTIQUE BRASS 619 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 622 MATTE BLACK 623 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN



UNIQUELY SHAPED AND MASTER CRAFTED PULLS

AP700 SERIES SQUARE & RECTANGULAR LADDER PULLS

Trimco AP700 Series Square & Rectangular Ladder Pulls are precision crafted for beauty and ultimate durability. Offered with a multitude of material sizes, these pulls can be the architectural highlight of your design.

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, or aluminum for long lasting durability
- Flexibility in design from material sizes and orientation to standoff locations (end or bridge)
- Wide range of lengths available from 12" to over 9'
- Additional options for door thickness, leather wrapping, and engraving
- Available in most architectural finishes
- Multiple mounting methods for metal, wood, and glass doors

NOTES

- Stainless steel substrates and powder coated finishes (629, 630, 622 & other powder coated options) will have a seamless transition from the standoff to the grip. Other substrates and finishes will have an architectural beveled seam at the joining point of the standoff to the grip.
- Standard CTC (based on OA) for bridge mount: Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- Specifying custom pull sizes (CTC) for bridge mount
 Example 1 35" OA, 29" CTC, specify as 3529
 Example 2 11" OA, 7" CTC, specify as 1107
- The maximum length for leather option is 96" OA
- Leather wrap coverage ends 0.5" +/- 0.25" from the edge of both stand-offs

* For J & M mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required ** Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit ***Size may be restricted due to weight, specify the max weight allowed



AP754 Rectangular Pull End Posts AP712 Square Pull End Posts

AP753 Rectangular Pull Bridge Posts

AP731E-6054-4-V.630

		-60	-	I	•	
AP731 BASE PART NUMBER FACE X DEPTH 3/4" X 3/4" SQUARE AP711 3/4" SQUARE PULL, BRIDGE POSTS AP712 3/4" SQUARE PULL, BRIDGE POSTS 1" X 1" SQUARE PULL, END POSTS 1" X 1" SQUARE PULL, END POSTS AP721 1" SQUARE PULL, END POSTS 11/4" X 1-1/4" SQUARE AP731 1-1/4" SQUARE PULL, BRIDGE POSTS AP722 1" SQUARE PULL, END POSTS 1/2" X 1-1/4" RECTANGULAR AP751 1/2" X 1-1/4" RECTANGULAR PULL, BRIDGE POSTS AP752 1/2" X 1-1/4" RECTANGULAR PULL, BRIDGE POSTS AP753 1-1/4" X 1/2" RECTANGULAR PULL, BRIDGE POSTS AP754 1-1/4" X 1/2" RECTANGULAR PULL, BRIDGE POSTS 11/4" X 1-1/2" RECTANGULAR PULL, BRIDGE POSTS AP761 1" X 1-1/2" RECTANGULAR PULL, BRIDGE POSTS AP763 1-1/2" X 1" RECTANGULAR PULL, BRIDGE POSTS AP764 1-1/2" X 1" RECTANGULAR PULL, BRIDGE POSTS AP774 1" X 2" RECTANGULAR PULL, BRIDGE POSTS AP774 1" X 2" RECTANGULAR PULL, BRIDGE POSTS AP775 2" X 1" RECTANGULAR PULL, BRIDGE POSTS AP775 1" X 2" RECTANGULAR PULL, BRIDGE POSTS AP775 1" X 2" RECTANGULAR PULL, BRIDGE POSTS AP775 1" X 1" X 2" RECTANGULAR PULL, BRIDGE POSTS AP775 1" X 1" X 2" RECTANGULAR PULL, BRIDGE POSTS	 MOUNTING TYPE E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS * (OPTIONAL) CONCEALED MOUNTING R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING 	-60 SIZE (OA) BRIDGE POSTS ONLY 12 12" 14 14" 16 16" 18 18" 24 24" 36 36" 48 48" 60 60" OR SPECIF	54 SIZE (CTC) REQUIRED FOR ALL PULLS 08 08" 10 10" 12 12" 14 14" 18 18" 30 30" 42 42" 54 54" Y OA/CTC	-4 DOOR THICKNESS 0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3" (OPTIONAL) HOLE DIA. FOR GLASS A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE		.630 FINISHES 313 SATIN ANODIZED DARK BRONZE 3165 MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL

Note: AP712 and AP754 Architectural Groove Between Grip and Standoffs May Be Visable



APC10 SERIES LADDER STYLE CLOSET & CABINET PULLS

Trimco's APC10 Series Ladder style closet and cabinet pulls are precision crafted for beauty and ultimate durability. Offered with a multitude of material sizes, these pulls can be the architectural highlight of your design.

APC11 Pull



FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, or aluminum for long lasting durability
- Flexibility in design
- Wide range of lengths available
- Available in most architectural finishes
- Multiple mounting options for metal, wood, and glass doors

APC11JR-1098-2.622

APC11 base part number		R * (OPTIONAL)	-1() SIZE (OA)	08 SIZE (CTC)	-2 DOOR THICKNESS	* (OPTIONAL)	.622 Finishes
1/2" DIAMETER APC11 1/2" DIAMETER, ROUND LADDER PULL 5/8" DIAMETER APC12 5/8" DIAMETER, ROUND LADDER PULL LADDER PULL	E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	OVERALL 08 8" 10 10" 12 12" 14 14" OR SPECIFY	CTC 06 06" 08 08" 10 10" 12 12"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	313 SATIN ANODIZED DARK BRONZE 3165 MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 317 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

Trimco's APC20 Series are a sleek and simple modern designed pull for closet and/or cabinet door applications. They are available in ½", ¾", and 1" widths standard and multiple architectural finishes to complement any design intent. The APC20 Series is available with custom lengths and finishes.

APC20 SERIES CLOSET & CABINET PULLS



FEATURES AND BENEFITS

- Modern, architecturally inspired design
- Manufactured from durable aluminum
- Multiple architectural finishes available
- Thru-bolted, concealed, or back-to-back mounting options
- Standard widths: $1\!\!\!/_2$ ", $3\!\!\!/_4$ ", and 1"
- Standard 9" CTC



APC21E-4.712

APC21 base part number		* (OPTIONAL)	-4 door thickness	(OPTIONAL) HOLE DIA. FOR GLASS	.712 Finishes
1/2" WIDTH APC21 STRAIGHT SQUARE PULL, 1/2" WIDTH, 9" CTC 3/4" WIDTH APC22 STRAIGHT RECTANGULAR PULL, 3/4" WIDTH, 9" CTC 1" WIDTH APC23 STRAIGHT RECTANGULAR PULL, 1" WIDTH, 9" CTC	 E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	 313 DARK BRONZE ANODIZED 335 BLACK ANODIZED 628 SATIN ANODIZED ALUMINUM 712 POLISHED ANODIZED ALUMINUI



APC30 SERIES MODERN EDGE PULLS

Trimco's APC30 Series are a sleek and modernly designed pull for closet and/or cabinet door applications. They are available in multiple standard lengths and architectural finishes to complement any design intent. The APC30 Series is available with custom widths and finishes.



APC30-6 Pulls

APC30-6.628

APC30 base part number			LL LENGTH	.628 Finishes			
APC30	MODERN EDGE PULL, 2- 1/2" WIDTH	3 4 6 8 10 12 18 24	3" LENGTH 4" LENGTH 6" LENGTH 8" LENGTH 10" LENGTH 12" LENGTH 18" LENGTH 24" LENGTH	313 335 628 712	DARK BRONZE ANODIZED BLACK ANODIZED SATIN ANODIZED ALUMINUM POLISHED ANODIZED ALUMINUM		


FEATURES AND BENEFITS

- Modern, architecturally inspired design
- Manufactured from durable aluminum
- · Multiple architectural finishes available
- Can be used on closet doors or as cabinet pulls
- Multiple standard and custom size lengths

Trimco's 1035 and 1835 Ultimate Restroom Pulls are manufactured in North America by master craftsmen from stainless steel, bronze, or brass. The ULTIMATE Restroom Pull utilizes the ADA compliant 1135 hospital grip and is combined with a .05" or 1/8" Push Plate. The pull has a special design that allows the user to pull the door open using their arm without having to "grip" the pull. The Ultimate Restroom Pulls are made with Copper Alloy.

1035 & 1835 SERIES THE ULTIMATE RESTROOM PULL





FEATURES AND BENEFITS

- Manufactured in the North America from stainless steel, bronze or brass for maximum durability
- Utilizes 1135 hospital grip
- .05" Pull Plate or Push/Pull Plate Set
- 1/8" Pull Plate or Push/Pull Plate Set
- Custom sizes available
- Standard finished available

NOTES

- 1035 Series combines the 1001 Series .05" Thick Push Plate with the 1135 Hospital Pull
- 1835 Series combines the 1807 Series 1/8" Thick Push Plate with the 1135 Hospital Pull

1035-2.710

1035-2

BASE PART NUMBER

.05" THICK PLATE 1035-1 PULL PLATE - GRIP WITH 3" X 12" PLATE 1035-2 PULL PLATE - GRIP WITH 3.5" X 15" PLATE

 1035-2
 PULL PLATE - GRIP WITH 3.5" X 15" PLATE

 1035-3
 PULL PLATE - GRIP WITH 4" X 16" PLATE

1/8" THICK HEAVY-DUTY PLATE

1835-2 PUSH/PULL SET - GRIPS WITH 3.5" X 15" HD PLATES 1835-3 PUSH/PULL SET - GRIPS WITH 4" X 16" HD PLATES

.710 finishe	S
630	SATIN STAINLESS STEEL
630TG	TRIMGUARD ANTIMICROBIAL COATING
710	HEALTHY HARDWARE, SATIN





1035 Ultimate Restroom Pull

STYLISH DESIGN WITH QUALITY CRAFTSMANSHIP

13

H

ул. Акуши

TOAAD


26



PULLS + GRIPS

Trimco Standard Grips & Pulls offer a wide variety of products to fit most applications. Material options include 1/2" diameter, up to 1-1/4" diameter round, 3/4" round and half-round are offered from 6" to 18" center-to-center. ADA compliance and other options, including fOCAL design and back-to-back mounting are available. These pulls are manufactured from stainless steel, bronze, brass, and aluminum to meet any design specification.

1001/1807 SERIES HEAVY-DUTY PUSH PLATES



Trimco's 1001 & 1807 Series Push Plates are manufactured in the United States from .050" or .125" thick stainless steel, brass, bronze, or aluminum. All push plates are pencil or heavy beveled on all four edges and are supplied with oval head screws standard. Custom sizes and plastic push plates are also available. Options include engraving for "PUSH" or "PULL", as well as different cylinder and custom cutouts for most applications.

FEATURES AND BENEFITS

- Manufactured in the United States
- Heavy duty .050" or .125" stainless steel, brass, bronze or aluminum material
- 1/8" plastic option
- Standard sizes 3"x12", 3-1/2"x15", 4"x16", 4"x25" , 6"x16" and 8"x16"
- Custom sizes also available
- Pencil beveled on all four sides

NOTES

· For plastic plate options, inquire with customer service

1001-3CFC.630

1001-3		CF	C	.6	.630		
BASE P	BASE PART NUMBER		ONS * (OPTIONAL)	FINIS	FINISHES		
	1001 SERIES050" THICK PLATE	HB	HEAVY BEVELED, ALL FOUR SIDES	316S	MARINE GRADE SATIN STAINLESS STEEL		
1001-1	PUSH PLATE, 3" X 12"	ADH	TAPE ADHESIVE FOR MOUNTING	316P	MARINE GRADE POLISHED STAINLESS STEEL		
1001-2	PUSH PLATE, 3-1/2" X 15"	RC	ROUND CORNERS	605	POLISHED BRASS		
1001-3	PUSH PLATE, 4" X 16"	FR	FULL ROUND	606	SATIN BRASS		
1001-9	PUSH PLATE, 6" X 16"	CFC	CUT FOR CYLINDER	609	ANTIQUE BRASS		
1001-11	PUSH PLATE, 8" X 16"	CYLT	CUT FOR T-TURN	612	SATIN BRONZE		
		TORX	TORX SCREWS	613	OIL RUBBED BRONZE		
	1807/1809 SERIES125" THICK PLATE			613E	OIL RUBBED BRONZE (EQUIVALENT)		
1807-4	EXTRA HEAVY DUTY PUSH PLATE, 4' X 16'			622	MATTE BLACK		
1807-25	EXTRA HEAVY DUTY PUSH PLATE, 4' X 25'			628	SATIN ANODIZED ALUMINUM		
1809-4	EXTRA HEAVY DUTY PUSH PLATE, 4' X 16'			629	POLISHED STAINLESS STEEL		
	(BEVELED ON ALL FOUR EDGES)			630	SATIN STAINLESS STEEL		
				710	HEALTHY HARDWARE, SATIN		

The 1890 Series Heavy Duty Combo Push/Pull Plate Sets have a clean look with no screw mountings on the surface of the plates, (inside or outside), offering a rugged but functional look with few places for dirt or bacteria to hide. Trimco's 1890 Series can accommodate a variety of plate sizes, pull sizes and center-to-center dimensions to fit most any application.

1890 SERIES EXTRA HEAVY-DUTY PUSH/PULL PLATE SETS

1894-5

Extra Heavy-Duty Push/Pull Plate Set



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- Manufactured in the United States in heavy duty 1/8" stainless steel, brass or bronze
- Standard plate sizes are 3-1/2" x 15", 4" x 16", and 8" x 16"
- Custom plate sizes available
- Pull diameters are either 3/4" or 1" diameter
- Available in ADA compliant 6", 8", or 10" center-to-center pulls
- Round bevel on top and bottom of plates



	1894-3BTORX.630				
1894	4-3B	TORX	630		
			.000		
BASE PA	ART NUMBER	OPTIONS * (OPTIONAL)	FINISHES		
	3/4" DIAMETER STRAIGHT PULL	CFC CUT FOR CYLINDER	316S MARINE GRADE SATIN STAINLESS STEEL		
1894-3	3-1/2" X 15" PLATE, 6" CTC PULL	CYLT CUT FOR T-TURN	316P MARINE GRADE POLISHED STAINLESS STEEL		
1894-3B	3-1/2" X 15" PLATE, 8" CTC PULL	TORX TORX SCREWS	605 POLISHED BRASS		
1894-4	4" X 16" PLATE, 6" CTC PULL		606 SATIN BRASS		
1894-4B	4" X 16" PLATE, 8" CTC PULL		609 ANTIQUE BRASS		
			612 SATIN BRONZE		
	1" DIAMETER STRAIGHT PULL		613 OIL RUBBED BRONZE		
1895-3	3-1/2" X 15" PLATE, 8" CTC PULL		613E OIL RUBBED BRONZE (EQUIVALENT)		
1895-3B	3-1/2" X 15" PLATE, 10" CTC PULL		622 MATTE BLACK		
1895-4	4" X 16" PLATE, 8" CTC PULL		628 SATIN ANODIZED ALUMINUM		
1895-4B	4" X 16" PLATE, 10" CTC PULL		629 POLISHED STAINLESS STEEL		
			630 SATIN STAINLESS STEEL		
	1" DIAMETER STRAIGHT PULL W/ BENT PUSH PLATE		710 HEALTHY HARDWARE, SATIN		
1896-4B	4" X 16" PLATE, 10" CTC PULL				



1191 SERIES STANDARD **OFFSET PULLS**

Trimco 1191 Series Offset Pulls are a great complement to any building design. Trimco Offset Pulls are ADA compliant and available in most architectural finishes.

FEATURES AND BENEFITS

- · Wide array of material sizes and dimensions to meet any design specification
- · Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 18"
- Material options include 3/4", 1", and 1-1/4" round
- ADA compliant
- · Back-to-back mounting options available

NOTES

• For additional finish options contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

1191	G	(OPTIONAL)	-4J	-4	* (OPTIONAL)	.630
base part number	MOUNTING TYPE		Diameter & size (ctc)	DOOR THICKNESS	HOLE DIA. FOR GLASS	Finishes
1191 3/4", 1" OR 1-1/4" DIA, ROUND, OFFSET BENT PULL	 E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	 3/4" DIAMETER, 8" 3/4" DIAMETER, 10" 1" DIAMETER, 10" 1" DIAMETER, 12" 1" DIAMETER, 18" 1-1/4" DIAMETER, 12" 1-1/4" DIAMETER, 18" 	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	316SMARINE GRADE SATIN STAINLESS STEEL316PMARINE GRADE POLISHED STAINLESS STEEL605POLISHED BRASS606SATIN BRASS609ANTIQUE BRASS612SATIN BRONZE613OIL RUBBED BRONZE613OIL RUBBED BRONZE (EQUIVALENT)622MATTE BLACK628SATIN ANODIZED ALUMINUM629POLISHED STAINLESS STEEL630SATIN STAINLESS STEEL710HEALTHY HARDWARE, SATIN

1191 Pull

1191G-4J-4.630



Standard Offset Pull



1194 SERIES STANDARD STRAIGHT PULLS

Trimco 1194 Series Straight Pulls offer a variety of products to fit most applications.



1194 Pull

1194JR-4-4.629

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 6" to 12"
- Material size: 3/4" diameter round
- ADA compliant
- Back-to-back mounting option available

NOTES

• For additional finish options contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

1194		R * (OPTIONAL)	-4	-4	* (OPTIONAL)	.629
base part number		CONCEALED MOUNTING	size (стс)	door thickness	HOLE DIA. FOR GLASS	Finishes
1194 3/4" DIAMETER, ROUND, STRAIGHT BENT PULL	 E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED-SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	1 6" 2 8" 3 10" 4 12"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	 316S MARINE GRADE SATIN STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

Trimco 1195 Series Straight Pulls offer a variety of sizes to fit most applications.

1195 SERIES STANDARD STRAIGHT PULLS



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 18"
- Material options include 1" diameter and 1-1/4" diameter round
- ADA compliant
- Back-to-back mounting option available

NOTES

- For additional finish options contact customer service
- *For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit



1195E-6J-2B.629

1195		* (OPTIONAL)	-6J	-2	B * (OPTIONAL)	.629
base part number		CONCEALED MOUNTING	DIAMETER & SIZE (CTC)	DOOR THICKNESS	HOLE DIA. FOR GLASS	Finishes
1195 1" OR 1-1/4" DIA, ROUND, STRAIGHT BENT PULL	 E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	1 1" DIAMETER, 8" 2 1" DIAMETER, 10" 3 1" DIAMETER, 12" 6 1" DIAMETER, 18" 3 J 1-1/4" DIAMETER, 12" 6 J 1-1/4" DIAMETER, 18"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	 316S MARINE GRADE SATIN STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

RIMCOHARDWARE.COM

QUALITY HARDWARE TO LAST A LIFETIME



PUSH BARS + PUSH/PULL SETS



Trimco 1700 Series Push/Pull Bars & Sets are manufactured in North America from solid stainless steel, bronze, and brass. These heavy-duty bars are available with a multitude of mounting options for most applications, including steel, wood, and glass doors. Available in most architectural finishes, the Trimco 1700 Series Bars are also offered with a fOCAL designer series option.



1630 SERIES PUSH BARS + PROTECTORS

Trimco 1630 Series Push Bars & Protectors are a family of highly durable door hardware trim with a multitude of applications. The 1630 Series includes a heavy-duty push bar and a rugged protection device for panic hardware and locks, which protects against rolling carts and other vehicles.

FEATURES AND BENEFITS

- Manufactured in the United States from rugged 3/8" x 2-1/2" or 1-1/2" stainless steel, aluminum, bronze, or brass
- Multiple applications from heavy-duty push bar to protection device for panic hardware
 and locksets
- Offered in most architectural finishes

NOTES

- Specifying Push Bar Size (CTC)
 - -Example 1 32" CTC, specify as 3200
 - -Example 2 33-1/2" CTC, specify as 3350
- J1637 Order for "J" hook; used with 1637 Push Bar

***1633-1, available in one length only, 14"

1630 Push Bar



1633-1 Protection Bar ***

1633-3400-4.630

163	33	-3400	-2	-4 door thickness		.630		
BASE	PART NUMBER	SIZE (CTC)	DO			SHES		
	PUSH BARS	SPECIFY: INCHES IN	0	CUSTOM	605	POLISHED BRASS		
1630	3/8" x 2-1/2" PUSH BAR	DECIMAL FORMAT	1**	3/8"	606	SATIN BRASS		
1630B	3/8" x 2-1/2" PUSH BAR, BTB PAIR		2**	1/2"	609	ANTIQUE BRASS		
1633	3/8" x 2-1/2" PUSH BAR	I.E. 3200	3	1-3/8"	612	SATIN BRONZE		
1633-1	3/8" x 1-1/2" LEVEL HANDLE PROTECTOR (14" ONLY)	I.E. 3350	4	1-3/4"	613	OIL RUBBED BRONZE		
1637	3/8" x 1-1/4" PUSH BAR		5	2"	613E	OIL RUBBED BRONZE (EQUIVALENT)		
			6	2-1/4"	622	MATTE BLACK		
	PUSH BAR		7	2-1/2"	628	SATIN ANODIZED ALUMINUM		
1689	3/8" X 2-1/2" PUSH BAR		8	3"	629	POLISHED STAINLESS STEEL		
					630	SATIN STAINLESS STEEL		

The Trimco 1640 Series Push Bars offer classic style and master craftsmanship in 2, 3, and 4-bar options. The 1640 Series brackets are cast from solid bronze or brass and are mated with 5/8" tube to complete the package. Center-tocenter dimensions must be specified when ordering. The 1640 Series Push Bars will add a classic feel to your project.

1640 SERIES MULTI-RAIL PUSH BARS



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- Classic styling offered in 2, 3, and 4-bar options
- Manufactured in the United States
- Brackets are cast from durable bronze or brass while bars are 5/8" diameter tube
- Offered in most architectural finishes

NOTES

- Surface mounting standard.
- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 Example 1 32" CTC, specify as 3200
 Example 2 33-1/2" CTC, specify as 3350



1643 (3-Bar)

	1642-3200	.626 Finishes	
1642 base part number			
1642 1643 1644	5/8" DIAMETER, 2-BAR SET 5/8" DIAMETER, 3-BAR SET 5/8" DIAMETER, 4-BAR SET	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	605POLISHED BRASS606SATIN BRASS609ANTIQUE BRASS612SATIN BRONZE613OIL RUBBED BRONZE613EOIL RUBBED BRONZE (EQUIVALENT)622MATTE BLACK625BRIGHT CHROME626SATIN CHROME628SATIN ANODIZED ALUMINUM



1660 SERIES CLASSIC PUSH BARS

1662 Push Bar

Trimco 1660 Series Push Bars deliver outstanding durability in a classic tube style push bar. They are available in many configurations to accommodate different applications. Single-bar, 2-bar with grip, and 4-bar with grip styles are offered in most architectural finishes. The 1660 Series has durable base materials including bronze and brass.

FEATURES AND BENEFITS

- Classic style heavy-duty push bar
- Manufactured in the United States from rugged 1" bronze or brass tube
- Multiple styles including single-bar (1661), 2-bar with grip (1662), and 4-bar with grip (1663)
- Easy installation and back-to-back options available
- Offered in most architectural finishes

NOTES

- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 -Example 1 32" CTC, specify as 3200
 -Example 2 33-1/2" CTC, specify as 3350

1661S-3350-3.625

1661	S	-3350	-3	.625	
BASE PART NUMBER	MOUNTING TYPE	SIZE (CTC)	DOOR THICKNESS	FINISHES	
1661 1" DIAMETER, SINGLE BAR 1662 1" DIAMETER, 2-BAR + GRIP 1663 1" DIAMETER, 2-BAR + GRIP (BTB SET)	E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS (1663 ONLY) S SURFACE MOUNT	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 625 BRIGHT CHROME 626 SATIN CHROME 	

Trimco 1700 Series Push/Pull Bar Sets are manufactured from solid stainless steel, bronze, brass, and aluminum. These heavy-duty bars are available with a multitude of mounting options for most applications including steel, wood, and glass doors. The 1700 Series is available in most architectural finishes.

FEATURES AND BENEFITS

- Options include 3/4", 1", and 1-1/4" diameter material with 10", 12" or 18" pulls
- Multiple mounting options for metal, wood, and glass doors
- Custom sizes and finishes also available

NOTES


- For additional finish options contact customer service
- Specifying Push Bar Size (CTC)
 - -Example 1 32" CTC, specify as 3200
 - -Example 2 33-1/2" CTC, specify as 3350
- Engraving and leather wrapped options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit *Handing required for offset models 1737, 1738, 1747 & 1747-1*.

1737EG-3350-4-LH.630

1700 SERIES PUSH/PULL BAR SETS





1737 base part number		* (OPTIONAL)	-3350 size (стс)	-4 door thickness	(OPTIONAL) HOLE DIA. FOR GLASS	.630 Finishes
STRAIGHT PULLS 1729 3/4" DIA., 10" CTC 1731 1" DIA., 10" CTC 1732 1" DIA., 10" CTC 1734 1-1/4" DIA., 12" CTC 1746-1 1-1/4" DIA., 18" CTC 1746-1 1-1/4" DIA., 12" CTC 0FFSET PULLS 1737 1737 1" DIA., 10" CTC 1738 1" DIA., 12" CTC 1747 1-1/4" DIA., 12" CTC 1747 1-1/4" DIA., 12" CTC 1747-1 1-1/4" DIA., 12" CTC	(OPEN-END POINT) E THRU-BOLT & FINISH WASHER J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON G MOUNTING OPTION (BACK-TO-BACK POINT) G BACK-TO-BACK POINT) G BACK-TO-BACK - THREADED SHOULDER BOLT + SET SCREWS L BACK-TO-BACK CONCEALED - SPANNER TURNING WASHER + STUD	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * ALL OPTIONS WITH J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS - HANDING (REQUIRED FOR ALL OFFSET PULLS) LH LEFT HAND RH RIGHT HAND	 313 SATIN ANODIZED DARK BRONZE 316S MARINE GRADE SATIN STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613 OIL RUBBED BRONZE 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN





1741 Push Bar

Trimco 1700 Series Push/Pull Bars & Sets are manufactured from solid stainless steel, bronze, brass, and aluminum. These heavy-duty bars are available with a multitude of mounting options for most applications including steel, wood, and glass doors. The 1700 Series is available in most architectural finishes.

FEATURES AND BENEFITS

- Options include 3/4", 1", and 1-1/4" diameter material with 10", 12", or 18" pulls
- Multiple mounting options for metal, wood, and glass doors
- Custom sizes and finishes also available
- ADA compliant
- Back-to-back mounting available

NOTES

- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 -Example 1 32" CTC, specify as 3200
 -Example 2 33-1/2" CTC, specify as 3350
- For additional detail on Mounting options and kits, see "Standard Mounting Options"
- Engraving and leather wrapped options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

1740 base part number	EG mounting type	* (OPTIONAL)	-3350 size (стс)	-4 door thickness	+ (OPTIONAL)	.630 Finishes
1740 3/4" DIAMETER 1741 1" DIAMETER 1745 1-1/4" DIAMETER	EG THRU-BOLT X BACK-TO-BACK EJ THRU-BOLT X CONCEALED MOUNTING E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * ALL OFFSET OPTIONS WITH J AND M MOUNTING METHODS, SPECIFY MOUNTING ACCESSORY	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	313 SATIN ANODIZED DARK BRONZE 316S MARINE GRADE SATIN STAINLESS STEEL 316P 316P MARINE GRADE POLISHED STAINLESS STEEL 335 335 SATIN ANODIZED BLACK 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN ANODIZED ALUMINUM 621 MATTE BLACK 630 SATIN ANODIZED ALUMINUM 621 MATTE HACK 630 SATIN HANODIZED ALUMINUM 631 OILSHED STAINLESS STEEL 630 SATIN YANNEY ALIANCES STEEL 710 HEALTHY HARDWARE, SATIN



1700 Series Push Bar



1110 SERIES MODERN FLUSH CUP PULLS



1111 SERIES STANDARD & ADA FLUSH PULLS



RIMCOHARDWARE.COM



The 1110 Series offers a sleek and modern design and will add elegance to your pocket or barn doors.

1110-10

FEATURES AND BENEFITS

- Elegant and modern non-handed designs
- · Heavy-duty stainless steel, bronze, or brass construction
- Concealed screws

1110-18

- Standard sizes include 8", 10", and 18" lengths
- · Custom sizes and shapes available

NOTES

- · For additional finish options contact customer service
- BTB mounting available for 1-3/4" or thicker doors

1110-18.630

1110-18 part number	.630 Finish
1110-8 8" X 2-1/2" 1110-10 10" X 2-1/2" 1110-18 18" X 2-1/2"	605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 629 POLISHED STAINLESS STEEL
	630 SATIN STAINLESS STEEL







1111A 1111B

1111C-PVC

The 1111 Series are perfect for use on public buildings such as schools, park facilities, retail malls, or strip commercial buildings.

FEATURES AND BENEFITS

- Manufactured from stainless steel, brass or bronze
- Functions easily, yet resists vandalism as the smooth surface defies attachment by hooks, ropes, chains, or other destructive devices
- Complies with Building Code Accessibility Standards for the handicapped (1111C)
- Optional PVC coating resists heat and keeps pull cool in sunny environments
- Available in back-to-back sets

NOTES

• 1111LB & 1111C - 1/8" (x2) shims are supplied for 1-3/4" thick door when ordered as BTB mounting configurations

1111C.630	
1111C part number	.630 Finish
1111A 5" X 5" CONCEALED FASTENERS 1111B 5" X 5" SURFACE MOUNTED 1111C 6" X 6" ADA 1111C-BTB 6" X 6" ADA, BACK-TO-BACK 1111C-PVC 6" X 6" ADA, PVC COATING 1111L 5" X 5" THRU-BOLT, BACK-TO-BACK 1111L 5" X 5" THRU-BOLT	 605 POLISHED BRASS 606 SATIN BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL



UNIQUELY DESIGNED PRODUCT SOLUTIONS FOR SLIDING DOORS



SLIDING DOOR SOLUTIONS





Trimco has a wide array of architectural and industrial solutions for sliding doors. From the 1069 Series ADA pocket door hardware to the 1074 Series ADA barn and sliding door hardware, Trimco has unique products that suit most applications.



1074 SERIES ADA SLIDING DOOR LOCKS

1074-1



1074-2

Wall Strike (Optional)

1074-1-LH-ST001.630

The Trimco 1074 Series Barn & Pocket Door Latchsets deliver a unique solution for sliding door applications where design is important. These latchsets are offered with either tubular or mortise locks for medium to high use situations. The 1074 Series is ADA compliant for use in public facilities.

FEATURES AND BENEFITS

- Unique barn and sliding door locking solution
- Can be used with Trimco Wall Strike for locking of surface-applied barn doors
- ADA compliant
- Multiple functions for different applications
- · Ten different lever styles to choose from
- Only requires 10 degrees of rotation to unlatch
- 1074-1 Privacy function with a push button on the inside and emergency access on the outside
- 1074-2 Privacy function with a thumb turn on the inside and cylinder on the outside
- 1074-3 Passage function with tubular latch

NOTES

- Backset: 2-3/8" for tubular locks (1074-1 & 1074-3); 2-3/4" for mortise locks (1074-2)
- Door Thickness: 1-3/8" & 1-3/4" for tubular locks (1074-1 & 1074-3); 1-3/4" for mortise locks (1074-2) 1074-2 includes mortise type cylinder and cam
- All units include their own strike

1074-1			-STOO1	.630
base part number			lever style	Finishes
1074-1 1074-2 1074-2X5004 1074-2C 1074-2E 1074-2E 1074-3	ADA BARN/SLIDING DOOR HARDWARE TUBLULAR PRIVACY MORTISE SECTIONAL PRIVACY MORTISE SECTIONAL PRIVACY W/ OCCUPANCY INDICATOR MORTISE SECTIONAL CONSTANT LATCHING MORTISE ESCUTCHEON PRIVACY MORTISE ESCUTCHEON PRIVACY W/ OCCUPANCY INDICATOR TUBULAR PASSAGE	LH LEFT HAND RH RIGHT HAND	ST000 *STOCKHOLM ST001 *MUNICH ST002 *FRANFURT ST003 KOLN ST028 VIENNA ST037 MATISSE SC001 BELLINI SC037 GLEN ELLEN SC051 *MERRYVALE SC069 MAHLER *STOCK LEVER STYLE	 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL <i>OTHER FINISH OPTIONS AVAILABLE.</i> <i>CONTACT CUSTOMER SERVICE.</i>

Trimco's patented Wall Strike's are uniquely designed as a solution for latching surface-applied Sliding/Barn doors with Trimco 1074 Series ADA locks. The strike mounts to the wall either directly (requires blocking in wall) or via a mounting bracket that mounts to the jamb.

WS SERIES BARN DOOR WALL STRIKE



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- Designed for use with Trimco 1074 Series ADA Barn/Sliding Latchsets
- Vertical adjustability ensures proper latching as the building or door opening settles
- Concealed fasteners for sleek, modern appearance
- Available in most architectural finishes, or primer to match wall paint color
- Enables latching of surface sliding/barn doors
- Two mounting methods: direct to wall (requires blocking in the wall) or via mounting bracket



WS

WSJ



WS-1C	74-2.630E	
$\underset{\text{base part number}}{WS}$	-1074-2 mating lock	.630E Finishes
WALL STRIKES WS DIRECT MOUNT WSJ JAMB MOUNT	1074-1 TUBULAR (1074-1 OR 1074-3) 1074-2 MORTISE	600WWHITE PRIMER COAT613EOIL RUBBED BRONZE (EQUIVALENT)622MATTE BLACK625POLISHED CHROME630ESTAINLESS STEEL (EQUIVALENT)

INNOVATIVE AND MASTERFULLY CRAFTED POCKET DOOR SOLUTION

The Trimco 1069 Series pocket door pulls are uniquely designed to meet American with Disabilities Act (ADA) requirements for pocket door applications. With a contemporary design and stylish black nylon handles, the 1069 Series is built for the most demanding applications without compromising the aesthetics.

1069 SERIES ADA POCKET DOOR PULLS



RIMCOHARDWARE.COM





1069L



630 SATIN STAINLESS STEEL

1069FP

1069FP -RH -A -4 630 BASE PART NUMBER FRAME SIZE HANDING DOOR THICKNESS FINISHES ADA POCKET DOOR PULLS LH LEFT HAND 605 POLISHED BRASS А 4-3/4" TO 5-1/2" (STD) 0 CUSTOM PASSAGE (PUSH/PULL) RH RIGHT HAND 1-3/8" 1069 В 5-3/4" TO 7" 3 606 SATIN BRASS 1-3/4" 1069L LATCHING С 7-1/4" TO 8-1/2" 4 609 ANTIQUE BRASS FULL PRIVACY (W/ EMERGENCY KEY) 8-3/4" TO 10" 1069FP D 612 SATIN BRONZE HANDING ONLY REQUIRED Е 10-1/4" TO 11-1/2" 613 OIL RUBBED BRONZE FOR 1069FP F 11-3/4" TO 13" 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL

FEATURES AND BENEFITS

- Complete pocket door ADA solution
- Stylish black nylon handles standard
- Easy installation and operation; operates with heel, edge of hand, or with the arm
- 5-1/2" standard frame width; other frame width options available
- Can be used on a 1-3/8" door, as well as a 1-3/4" door
- Multiple functions for different applications
- Exterior emergency access on Full Privacy

NOTES

Offset 1069 configurations are available, contact customer service

*Handing specification is for FP models only

1069FP-A-RH-4.630



E-MOUNT Thru-bolt & finish washer

3/4" DIA. OR LESS: 1/4-20 THREAD 1" DIA. OR MORE: 5/16-18 THREAD RIGHT HAND THREAD (RHT) STANDARD LEFT HAND THREAD AVAILABLE 3/18-16 THREAD AVAILABLE



L-MOUNT back-to-back concealed mounting

SPANNER TURNING WASHER & STUD FOR ROUND BASES SPECIFY METAL, WOOD, OR GLASS DOORS



G-MOUNT back-to-back

THREADED SHOULDER BOLT & SET SCREWS (X2) 3/4" DIA. OR LESS: 1/4-20 THREAD 1" DIA. OR MORE: 5/16-18 THREAD SPECIAL SHOULDER BOLTS AVAILABLE



M-MOUNT concealed mounting

SPANNER TURNING WASHER & SINGLE MOUNT FOR ROUND BASES SPECIFY METAL OR WOOD DOORS



GLASS KIT w-mount

INCLUDES CLEAR SPACER, 2 FELT WASHERS & 2 BACK PLATES SPECIFY GLASS THICKNESS & HOLE DIAMETER REQUIRES MOUNTING KIT (I.E. N-MOUNT)



RIV-NUT riv-nut

FOR J OR M MOUNTING ON ALUMINUM DOORS R3: 1/4-20 THREAD R4: 5/16-18 THREAD R5: 3/8-16 THREAD



J-MOUNT concealed mounting

THREADED SHOULDER BOLT & SCREW SET (X2) 3/4" DIA. OR LESS: 1/4-20 THREAD 1" DIA. OR MORE: 5/16-18 THREAD SPECIFY METAL OR WOOD DOORS SPECIAL SHOULDER BOLTS AVAILABLE

MOUNTING METHODS



N-MOUNT Thru-bolt with flow-thru button

SINGLE MOUNT FOR ROUND BASES RIGHT HAND THREAD (RHT) STANDARD LEFT HAND THREAD (LHT) AVAILABLE SPECIFY METAL, WOOD, OR GLASS DOORS



BUSHING wood thread to machine thread

FOR J OR M MOUNTING ON WOOD DOORS B3: 1/4-20 THREAD B4: 5/16-18 THREAD B5: 3/8-16 THREAD

FINISHES

U.S. GOVT.

U.S. GOVT.

US19

622

BHMA DESCRIPTION

SATIN BRONZE, CLEAR COATED

US10

612



U.S. GOVT. US3 BHMA DESCRIPTION



U.S. GOVT.

U.S. GOVT.

US26

• Many other finishes can be furnished on special order.

BHMA DESCRIPTION

OIL RUBBED

613 DARK OXIDATED SATIN BRONZE,

US10B



U.S. GOVT.

BHMA DESCRIPTION

613E DARK OXIDATED SATIN BRONZE,

OIL RUBBED (EQUIVALENT)

US10BE

US26D

U.S. GOVT. US4 BHMA DESCRIPTION 606 SATIN BRASS, CLEAR COATED



609


U.S. GOVT.

BHMA DESCRIPTION

US11

616

U.S. GOVT. US5 BHMA DESCRIPTION





U.S. GOVT.

BHMA DESCRIPTION

US7

U.S. GOVT. US15

BHMA DESCRIPTION SATIN NICKEL PLATED, CLEAR 619 COATED



U.S. GOVT.

BHMA DESCRIPTION 629 POLISHED STAINLESS STEEL



BHMA DESCRIPTION 611 POLISHED BRONZE, CLEAR COATED

FRIMCOHARDWARE.COM



U.S. GOVT. 620 SATIN NICKEL PLATED, BLACKENED,



US32D BHMA DESCRIPTION 630 SATIN STAINLESS STEEL



BHMA DESCRIPTION

SATIN BLACK COATED

BHMA DESCRIPTION

BHMA DESCRIPTION 630TG SATIN STAINLESS STEEL WITH TRIMGUARD

625 BRIGHT CHROME PLATED

BHMA DESCRIPTION 313 SATIN ALUMINUM, DARK BRONZE ANODIZED

Some finishes are not available on all products. For more information, inquire with Trimco Customer Service.



BHMA DESCRIPTION 316P MARINE GRADE, POLISHED STAINLESS STEEL




11532

BHMA DESCRIPTION 335 SATIN ALUMINUM, BLACK ANODIZED SILVER (STANDARD)

BHMA DESCRIPTION 316S MARINE GRADE, SATIN STAINLESS STEEL

U.S. GOVT. U.S. GOVT. **US28** BHMA DESCRIPTION 626 SATIN CHROME PLATED

• Finish 613 (US10B) is a living finish and will vary when applied to different alloys or forms of base and metal in the products of different manufacture. Limited shelf life.



US15A BHMA DESCRIPTION SATIN RELIEVED, CLEAR COATED



BHMA DESCRIPTION



SATIN BRONZE, BLACKENED, SATIN

RELIEVED, CLEAR COATED









HEADQUARTERS

CUSTOMER SERVICE + ORDERS

323.262.4191 Phone 323.264.7214 Local Fax

QUOTATIONS

877.786.8387 Toll Free Fax

LITERATURE + CATALOGS

SALES

FOLLOW TRIMCO ON SOCIAL MEDIA FOR THE LATEST UPDATES!









